| <u>Lithium Battery Safety Document – Section II</u> | or Section I.B Shipments | | | | |
|---|--|--|--|--|--|
| AWB or Tracking Number | : | | | | |
| _ | This document may be used to comply with the additional documentation requirements of the IATA DGR. | | | | |
| WARNING: LITHIUM BATTERIES THAT HAVE BEEN RECALLED BY THE MANUFACTURER FOR SAFETY REASONS MUST NOT BE SHIPPED BY AIR. | | | | | |
| Terminology: Cell – electrochemical unit, consisting of an anode and a cathode, capable of generating electrical current Battery – assembly of cells Lithium ion cells/batteries – generally rechargeable – includes lithium polymer cells/batteries Lithium metal cells/batteries – non-rechargeable | | | | | |
| This shipment contains lithium cells or batteries in the fo | ollowing configuration (check applicable description): ion II | | | | |
| Lithium Ion - Maximum of • 20 Watt-hours per cell or • 100 Watt-hours per battery | Lithium Metal – Maximum of 1 gram of lithium metal per cell or 2 grams of lithium metal per battery | | | | |
| □ Cells or batteries only (Lithium ion batteries in compliance with Section II of PI 965): ≤ 8 cells or ≤ 2 batteries in a package, without electronic equipment. (Note: For cells or batteries of ≤ 2.7 Wh, the number of cells/batteries in the package must be limited to 2.5 kg net weight.) | Cells or batteries only (Lithium metal batteries in compliance with Section II of PI 968): ≤ 8 cells or ≤ 2 batteries in a package, without electronic equipment. (Note: For cells or batteries with a lithium metal content of ≤ 0.3 g, the number of cells/batteries in the package must be limited to 2.5 kg net weight.) | | | | |
| □ Packed with equipment (Lithium ion batteries in compliance with Section II of PI 966): Cells or batteries contained in a package with associated electronic equipment. Packages must be limited to 5 kg | □ Packed with equipment (Lithium metal batteries in compliance with Section II of PI 969): Cells or batteries contained in a package with associated battery-powered equipment – with the batteries not installed in | | | | |
| net weight of batteries. | the equipment. Packages must be limited to 5 kg net weight of hatteries. | | | | |
| net weight of batteries. □ Contained in equipment (Lithium ion batteries in compliance with Section II of PI 967): Cells or batteries installed in equipment. Packages must be limited to 5 kg net weight of batteries. | the equipment. Packages must be limited to 5 kg net weight of batteries. □ Contained in equipment (Lithium metal batteries in compliance with Section II of PI 970): Cells or batteries installed in equipment Packages must be limited to 5 kg net weight of batteries. | | | | |
| □ Contained in equipment (Lithium ion batteries in compliance with Section II of PI 967): Cells or batteries installed in equipment. Packages must be limited to 5 kg net weight of batteries. | weight of batteries. □ Contained in equipment (Lithium metal batteries in compliance with Section II of PI 970): Cells or batteries installed in equipment Packages must be limited | | | | |
| □ Contained in equipment (Lithium ion batteries in compliance with Section II of PI 967): Cells or batteries installed in equipment. Packages must be limited to 5 kg net weight of batteries. Section Cells or batteries only (ICAO/IATA Packing Instruction 965, Section I.B): > 8 cells or > 2 batteries in a package, without electronic equipment; or for cells or batteries of ≤ 2.7 Wh, a number of cells/batteries that exceeds 2.5 kg. | weight of batteries. □ Contained in equipment (Lithium metal batteries in compliance with Section II of PI 970): Cells or batteries installed in equipment Packages must be limited to 5 kg net weight of batteries. on I.B □ Cells or batteries only (ICAO/IATA Packing Instruction 968, Section I.B): > 8 cells or > 2 batteries in a package, without electronic equipment. | | | | |
| □ Contained in equipment (Lithium ion batteries in compliance with Section II of PI 967): Cells or batteries installed in equipment. Packages must be limited to 5 kg net weight of batteries. Section Cells or batteries only (ICAO/IATA Packing Instruction 965, Section I.B): > 8 cells or > 2 batteries in a package, without electronic equipment; or for cells or batteries of ≤ 2.7 Wh, a number of cells/batteries that exceeds 2.5 kg. ** Total package weight is restricted to 10 kg G. ** • This package must be handled with care. A first package is damaged in transportation, contents can be verified. The batteries contain and may only be repacked if they are intact a | weight of batteries. □ Contained in equipment (Lithium metal batteries in compliance with Section II of PI 970): Cells or batteries installed in equipment Packages must be limited to 5 kg net weight of batteries. on I.B □ Cells or batteries only (ICAO/IATA Packing Instruction 968, Section I.B): > 8 cells or > 2 batteries in a package, without electronic equipment. ***Total package weight is restricted to 2.5 kg G. ** flammability hazard exists if the package is damaged. it must not be loaded until the condition of the ined in this package must be inspected for damage | | | | |

| | List telephone number here, including area code and any applicable country code | |
|---------|---|--|
| Name/A | ddress of shipper: | |
| | | |
| | | |
| | | |
| | | |
| Signed: | Date: | |

Lithium Battery Safety Document - Section II or Section I.B Shipments

Signed:

| | AWB or Tracking Number | r: | |
|--|--|---|------------------------|
| | This document may be used to comply with the additi | onal documentation requirements of the IATA DGR. | |
| | WARNING: LITHIUM BATTERIES THAT HAVE I SAFETY REASONS MUST NOT BE SHIPPED BY A | BEEN RECALLED BY THE MANUFACTURER FOR AIR. | |
| | currentBattery – assembly of cells | anode and a cathode, capable of generating electrical rgeable – includes lithium polymer cells/batteries eable | |
| Geranrguti (UN | This shipment contains lithium cells or batteries in the following configuration (check applicable description): Section II Versand nicht möglich | | |
| 3480 oder UN 3090) -> Alle Gefahrgutvor- | Lithium Ion - Maximum of 20 Watt-hours per cell or 100 Watt-hours per battery | Lithium Metal – Maximum of • 1 gram of lithium metal per cell or | |
| schriften einhalten (entsprechende Verpackung, Aufkleber, Shipper Decleration etc.) | □ Cells or batteries only (Lithium ion batteries in compliance with Section II of PI 965): ≤ 8 cells or ≤ 2 batteries in a package, without electronic equipment. (Note: For cells or batteries of ≤ 2.7 Wh, the number of cells/batteries in the package must be limited to 2.5 kg net | ② grams of lithium metal per battery □ Cells or batteries only (Lithium metal batteries in compliance with Section II of PI 968): ≤ 8 cells or ≤ 2 batteries in a package, without electronic equipment. (Note: For cells or batteries with a lithium metal content of ≤ 0.3 g, the number of cells/batteries in the package | Nur Batterien |
| UN 3481 angeben, Safety Document, | weight.) Packed with equipment (Lithium ion batteries in compliance with Section II of PI 966): Cells or batteries contained in a package with associated electronic equipment. Packages must be limited to 5 kg net weight of batteries. | must be limited to 2.5 kg net weight.) Packed with equipment (Lithium metal batteries in compliance with Section II of PI 969): Cells or batteries contained in a package with associated battery-powered equipment – with the latteries not installed in the equipment. Packages must be limited to 5 kg net weight of batteries. | Batterien mit Gerät |
| Aufkleber | □ Contained in equipment (Lithium ion batteries in compliance with Section II of PI 967): Cells or batteries installed in equipment. Packages must be limited to 5 kg net weight of batteries. | Contained in equipment (Lithium metal batteries in compliance with Section II of PI 970): Cells or batteries installed in equipment Packages must be limited to 5 kg net weight of batteries. | Batterien im Gerät |
| Gefahrgut! (UN 3480 oder UN 3090) -> Alle Gefahrgutvor- schriften einhalten (entsprechende Verpackung, | Secti Cells or batteries only (ICAO/IATA Packing Instruction 965, Section I.B): > 8 cells or > 2 batteries in a package, without electronic equipment; or for cells or batteries of \(\leq 2.7 \) Wh, a number of cells/batteries that exceeds 2.5 kg. ** Total package weight is restricted to 10 kg G. ** | on I.B Cells or batteries only (ICAO/IATA Packing Instruction 968, Section I.B): > 8 cells or > 2 batteries in a package, without electronic equipment. ** Total package weight is restricted to 2.5 kg G. ** | Nur Batterien |
| Aufkleber, Shipper Decleration etc.) | This package must be handled with care. A If this package is damaged in transportation, contents can be verified. The batteries conta and may only be repacked if they are intact a | flammability hazard exists if the package is damaged. it must not be loaded until the condition of the ined in this package must be inspected for damage | |
| | List telephone number here, including area code and any appli Name/Address of shipper: | cable country code | |
| | | | |

Date:

Hinweise zu UN 3481 – Batterien im bzw. mit Gerät:

- Die Sendung ist mit einen Batterielabel gemäß den IATA-Vorschriften zu versehen (=Aufkleber)
- Neben dem Batterielabel muss die UN Nummer aufgeführt sein!
- Die Sendung muss mit einem ausgefülltem Batteriestatement versehen sein
- Die Verpackung muss "strong rigid" (fest, kräftig, starr, unnachgiebig) sein.



- Es werden nur Original-Aufkleber zugelassen, keine Ausdrucke!
- Die Aufkleber k\u00f6nnen Sie bei euro.COURIER oder z.B. in verschiedenen Online-Shops k\u00e4uflich erwerben

<u>Hinweise zu UN 3480 sowie 3090 – Nur Batterien = Gef</u>ahraut:

- Die Verpackung und Label müssen den Gefahrgutvorschriften entsprechen!
- Bitte beachten Sie, dass euro. COURIER keine Gefahrgutberatung anbieten kann. Konsultieren Sie dazu einen Gefahrgutspezialisten (Gefahrgutbüro).